

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of

Kittaka

Serial No. 10/067,858

Examiner (not assigned)

Filed February 8, 2002

Art Unit 2877

For METHOD FOR MEASURING GRADIENT INDEX DISTRIBUTION OF ROD LENS

Assistant Commissioner of Patents Washington, D.C. 20231

## RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS AND SUBMISSION OF FORMAL DRAWINGS

Dear Sir:

In response to Notice to File Correction Application Papers mailed March 6, 2002, the undersigned includes the following herewith:

- 1) a copy of the Notice to File Corrected Application Papers; and
- 2) five (5) sheets of six (6) formal drawings. Please substitute these drawings for the original drawings filed in the application.

This submission should now satisfy the requirements for the corrected application papers. Please proceed to examination on the merits.

Respectfully submitted,

Michael E. Whitham Reg. No. 32,635

30/43



IJ

## United States Patent and Tr











APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

WASHINGTON, D.C. 20231 www.uspto.gov ATTORNEY DOCKET NUMBER

COMMISSIONER FOR PATENTS

10/067,858

02/08/2002

Shigeo Kittaka

0241110272AA

UNITED STATES PATENT AND TRADEMARK OFFICE

**CONFIRMATION NO. 9659** 

Date Mailed: 03/06/2002

**FORMALITIES LETTER** 

\*OC000000007591600\*

WHITHAM, CURTIS & CHRISTOFFERSON, P.C. **SUITE 340** 11491 SUNSET HILLS ROAD P.O. BOX 9204 **RESTON, VA 20190** 

## Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

NOTICE TO FILE CORRECTED APPLICATION PAPERS

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - Drawings must be reasonably free from erasures and must be free from alterations, overwritings, interlineations, folds, and copy marks.

A copy of this notice <u>MUST</u> be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE